Google Scholar BETA

reorder content distance OR mobile OR locatio | | - | 2001 | Search

○ Search the Web ● Search English pages

Advanced Scholar Search
Scholar Preferences
Scholar Help

Scholar All articles - Recent articles Results 1 - 30 of about 122 English pages for reorder content distance OR mobile OR location OR positioning OR navigat "hyperlink" -patent. (0.22 seconds)

Did you mean: reorder content distance OR mobile OR location OR positioning OR *navigate* "hyperlink" -patent

Evaluating HyTime: an examination and implementation experience
JF Buford - Proceedings of the the seventh ACM conference on Hypertext, 1996 - portal.acm.org
... for links and anchors, a framework for **positioning** and ... Like Dexter anchors, HyTime
location ... forms isolate links from the details of **content**- specific addressing ...
Cited by 21 - Related articles - Web Search - All 3 versions

An image and video search engine for the world-wide web- •kfupm.edu.sa [PDF]
JR Smith, SF Chang - In Proc. SPIE Storage and Retrieval for Image and Video ..., 1997 - eprints.kfupm.edu.sa
... Finally, the **Content** Spider generates coarse and highly compressed ... and video URLs,
alt tags and **hyperlink** text by ... groups images and videos by **location** on the ...
Cited by 157 - Related articles - View as HTML - Web Search - All 20 versions

Compressing the graph structure of the web- •psu.edu [PDF]
T Suel, J Yuan - Data Compression Conference, 2001. Proceedings. DCC 2001., 2001 - ieeexplore.ieee.org
... unordered set, and that they can be **reordered** for improved ... to pages that are only
a short **distance** from the ... 1.4 **Content** of this Paper In this paper, we study ...
Cited by 46 - Related articles - Web Search - All 10 versions

Automatic resource compilation by analyzing **hyperlink** structure and associated text- •csic.es [PDF]
S Chakrabarti, B Dom, P Raghavan, S Rajagopalan, D ... - Computer Networks and ISDN Systems, 1998 - Elsevier
... Automatic resource compilation by analyzing **hyperlink** structure and ... which can then
be used to **re-order** the output of a ... all pages which are link-**distance** two or ...
Cited by 861 - Related articles - Web Search - All 24 versions

[PDF] •Searching for images and videos on the world-wide web
JR Smith, SF Chang - IEEE MultiMedia, 1997 - citeseerx.ist.psu.edu
... extract visual features that allow for **content**-based techniques ... and video URLs, alt
tags and **hyperlink** text by ... that groups images and videos by **location** on the ...
Cited by 113 - Related articles - View as HTML - Web Search - All 16 versions

A PRESCRIPTIVE METHODOLOGY FOR COMPUTING 2-D INFORMATION MAPS WITHIN ENGINEERING DEVELOPMENT ...
D Taylor, S Kannapan - Advances in Concurrent Engineering, CE 97, 1997 - books.google.com
... that your computer files were randomly **reordered** every morning ... The mass of information
content of a technology ... using the aspect-perspective **distance** matrix when ...
Related articles - Web Search

Overcoming the curse of dimensionality in clustering by means of the wavelet transform
F Murtagh, JL Starck, MW Berry - The Computer Journal, 2000 - Br Computer Soc
... and so the quality of the **reordering** can vary ... separately; ie extract the dense rows,
reorder the remaining ... FIGURE 3. Visualization of **reordered** version of high ...
Cited by 22 - Related articles - Web Search - BL Direct - All 12 versions

[BOOK] DocBook: the definitive guide- davidashen.net [PDF]

N Walsh, L Muellner - 1999 - books.google.com

... This versatility also frees the author to concentrate on the document **content**. ... book:
almost every element name (Article, Book, and so on) is a **hyperlink** to the ...

Cited by 228 - Related articles - Web Search - Library Search - All 6 versions

[PDF] Automatic Web page categorization by link and context analysis

G Attardi, A Gulli, F Sebastiani - Proceedings of THAI, 1999 - wortschatz.uni-leipzig.de

... important for advertisers' sites), **reordering** the **content** of ... h(p), which measures
the "informative **content**" of p ... in which documents with **distance** d ≤ 2 ...

Cited by 112 - Related articles - View as HTML - Web Search - All 12 versions

The IETF internet telephony architecture and protocols- comsoc.org [PDF]

H Schulzrinne, J Rosenberg - IEEE network, 1999 - ieeexplore.ieee.org

... The **Content**- Length and **Content**-Type header fields ... delayed by variable amounts, and
reordered in the ... used for loss detection and compensation for **reordering**. ...

Cited by 60 - Related articles - Web Search - BL Direct - All 15 versions

[PDF] Learning to understand the Web

WW Cohen, A McCallum, D Quass - IEEE Data Engineering Bulletin, 2000 - cs.umass.edu

... Focused crawling **reorders** the links in the queue ... classify relevant web pages or **content**
extracted from ... process that uses two different **distance** metrics—first ...

Cited by 19 - Related articles - View as HTML - Web Search - All 22 versions

Dynamic Information Presentation through Web-based Personalisation and Adaptation—An Initial Review

D Bental, L MacKinnon, H Williams, D Marwick, D ... - People and Computers XV: Interactions Without Frontiers: ..., 2001 - books.google.com

... or state (eg the users' physical **location** in GUIDE). ... surface appearance, although
layout and **reordering** are surface ... search User model source: **Content** based and ...

Cited by 7 - Related articles - Web Search - BL Direct

[PDF] Multivalent Documents: A New Model for Digital Documents

TA Phelps, R Wilensky, UC Berkeley - 1998 - eecs.berkeley.edu

... And, in these cases, **reordering** is done transparently to ... textual document) and for
rendering that **content** upon request ... be loaded from a default **location** on the ...

Cited by 6 - Related articles - View as HTML - Web Search - Library Search - All 5 versions

[PDF] link journal month

S Abiteb - Computer Networks and ISDN Systems, 1995 - citeseerx.ist.psu.edu

... since a mailer can be programmed to **reorder** incoming mail ... go beyond insert and delete,
to supporting **reordering**, and to ... Jones/i && n2.author.**content** = /Smith/i ...

Related articles - View as HTML - Web Search

[PDF] A neural network-based intelligent metasearch engine

B Shu, S Kak - Information Sciences, 1999 - citeseerx.ist.psu.edu

... the relevancy of these Web pages and **reorder** them ap ... pages will be considered similar
in **content** if there ... a stored vector if the Hamming **distance** between these ...

Cited by 42 - Related articles - View as HTML - Web Search - BL Direct - All 5 versions

Intelligent Interpretation of World Wide Web Queries- auckland.ac.nz [PDF]

J Baltes, B Ewing - 1998 - researchspace.liss.auckland.ac.nz

... when a page moved to a di erent **location**. ... for the individual features (page type,
content, formatting, and ... hits returned by Excite and **reordered** those queries ...

Related articles - View as HTML - Web Search - All 5 versions

Learning to Understand the Web- ·kfupm.edu.sa [PDF]

A Mccallum, D Quass - IEEE Data Engineering Bulletin, 2000 - eprints.kfupm.edu.sa

... Focused crawling **reorders** the links in the queue ... classify relevant web pages or **content**
extracted from ... process that uses two different **distance** metrics—first ...

Related articles - View as HTML - Web Search - All 4 versions

[BOOK] Microsoft Access Fundamentals-A Practical Workbook for Small Businesses

R LeCorps - 2001 - books.google.com

... Figure 7 Help Dialogue box Using the **Content** Tab Contents | | n dex | Find 1 ... Undo
the last action Enter a URL **hyperlink location** or a file to link to ...

Web Search - Library Search

[PDF] ·Publius: A Robust, Tamper-Evident Censorship-Resistant Web Publishing System

M Waldman, AD Rubin, LF Cranor - 9th USENIX Security Symposium, 2000 - cs.nyu.edu

... use other techniques such as buffering and message **reordering** to further ... Bob, wishes
to view the Publius **content** ad- dressed by ... **location** i = (name i MOD m) + 1 ...

Cited by 246 - Related articles - View as HTML - Web Search - All 49 versions

Customer Interaction Patterns in Electronic Commerce: Maximizing Information Liquidity for Adaptive ...- ·nyu.edu [PDF]

V Dhar, A Sundararajan - 1999 - archive.nyu.edu

... mappings T, D and I, **reorder** the preference ... relevant rule, and a consequent **reordering**
of the ... connectivity bottleneck is addressed, the **content** bottleneck will ...

Cited by 2 - Related articles - Cached - Web Search - All 11 versions

Using SGML to create complex interactive documents for electronicpublishing

P Goldie, L Inc, CA San Francisco - IEEE transactions on professional communication, 1997 - ieeexplore.ieee.org

... to as complex as operating machin- ery in a remote **location**. ... Ability to modify, annotate,
or **reorder** the contents ... to launch from the SGML **content** into external ...

Cited by 7 - Related articles - Web Search - BL Direct - All 4 versions

Fuzzy concept graph and application in Web document clustering

C An, C Ning, W Jia, S Luo - Info-tech and Info-net, 2001. Proceedings. ICII 2001-Beijing ..., 2001 - ieeexplore.ieee.org

... of task [Han 002]: Web page **content** mining, Web ... not invariant with respect to **reordering**
of objects ... seeds, and using probability density rather than **distance**. ...

Cited by 5 - Related articles - Web Search

[PDF] ·Mapping the 'worlds' of the world wide web

SD Brunn, M Dodge - American Behavioral Scientist, 2001 - casa.ucl.ac.uk

... **distance**, isolation, or core and periphery **location**, cease to ... other countries in
their region, or is **distance** not a ... of the Internet and Web **content** come from ...

Cited by 38 - Related articles - View as HTML - Web Search - BL Direct - All 4 versions

Using XML and XSLT to process and render online journals

TW Cole, WH Mischo, TG Habing, RH Ferrer - Library hi tech, 2001 - emeraldinsight.com

... of>) can be used to **reorder** and reorganize ... XSLT stylesheets add generated **content**
(eg labels, punctuation ... fonts, absolute and relative **positioning** of objects ...

Cited by 4 - Related articles - Web Search - BL Direct - All 5 versions

Enhancement of online and offline student learning

J Ewing - Educational Media International, 2000 - ingentaconnect.com

... intellectual activities as organising, adapting, **reordering** and inventing. ... such as
open or **distance** learning; situated ... either about the course **content** or about ...

Cited by 9 - Related articles - Web Search - BL Direct - All 3 versions

[PDF] ·Maximizing information liquidity in electronic commerce

V Dhar, A Sundararajan - 2000 - oz.stern.nyu.edu

... the data has inherent information **content**, or high ... firm does not index each individual
hyperlink on its ... We also characterize the **distance** between two behaviors ...

Cited by 2 - Related articles - View as HTML - Web Search - All 3 versions

Genre based navigation on the Web- ·psu.edu [PDF]

D Roussinov, K Crowston, M Nilan, B Kwasnik, J Cai ... - System Sciences, 2001 Proceedings of the 34th Annual Hawaii ..., 2001 - ieeexplore.ieee.org

... appendix .html) the complete **content** analysis scheme ... the example, the system **reordered**
the search ... business, celebrities), geographical **location**, special topics ...

Cited by 57 - Related articles - Web Search - BL Direct - All 7 versions

[PDF] ·JPlag: Finding plagiarisms among a set of programs

L Prechelt, G Malpohl, M Philippsen - 2000 - citeseerx.ist.psu.edu

... A **hyperlink** arrow at each region, when clicked, aligns the opposite half of the ... This
rules implies that **reordering** parts of the source code is no effective ...

Cited by 85 - Related articles - View as HTML - Web Search - Library Search - All 18 versions

[PS] ·IETF Protocols for IP Telephony

H Schulzrinne, J Rosenberg - 1998 - cnscenter.future.co.kr

... Sequencing: An IP network may drop or **reorder** packets ... HTTP, such as the entity headers
(eg, **Content**-type) and ... conveys information about a user's **location** to a ...

Cited by 2 - Related articles - View as HTML - Web Search - All 5 versions

Assistant agents for the world wide web intelligent interface design challenges

RJ Keeble, RD Macredie - Interacting with Computers, 2000 - Elsevier

... system [25] is a tool for visualising the '**distance**' between Web ... (iii) **Reordering**/
regrouping of ... the system changes itself either in appearance or **content**. ...

Cited by 36 - Related articles - Web Search - All 3 versions

Key authors: **J Smith** - **S Chang** - **S Chakrabarti** - **N Walsh** - **M Waldman**

Did you mean to search for: reorder content distance OR mobile OR location OR positioning OR *navigate* "hyperlink" -patent

Goooooogle ▶

Result Page: 1 2 3 4 5   **Next**

[reorder content distance OR mobile] [Search]

Google Home - About Google - About Google Scholar